

FLASH Y



The Flash chair is perfect for use in the office, conference room, and home setting. Flash is available in two versions, allowing it to be customized to meet the needs of every user.

- **FLASH Y - ZC**
swivel chair
ZC - integrated 2 lever CPT mechanism
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC - T1**
swivel chair
ZC - integrated 2 lever CPT mechanism
T1 - seat slider
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC/ASY**
swivel chair
ZC/ASY - integrated 3 lever CPT asynchro mechanism
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC/ASY - T1**
swivel chair
ZC/ASY - integrated 3 lever CPT asynchro mechanism
T1 - seat slider
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC - L**
swivel chair
L - non-adjustable lumbar support
ZC - integrated 2 lever CPT mechanism
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC - T1 - L**
swivel chair
L - non-adjustable lumbar support
ZC - integrated 2 lever CPT mechanism
T1 - seat slider
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC/ASY - L**
swivel chair
L - non-adjustable lumbar support
ZC/ASY - integrated 3 lever CPT asynchro mechanism
black, nylon base Ø 680mm (polyamide + 30% fiber glass)
- **FLASH Y - ZC/ASY - T1 - L**
swivel chair
L - non-adjustable lumbar support
ZC/ASY - integrated 3 lever CPT asynchro mechanism
black, nylon base Ø 680mm (polyamide + 30% fiber glass)

Technical data

Mechanisms:

- **ZC - integrated 2 lever CPT mechanism**
adjustment of backrest inclination by lever, backrest inclination 14°
adjustment of backrest distance from seat
height adjustment of the seat by lever
locking in many positions
mechanism can be used in locked position only
- **ZC/ASY - integrated 3 lever CPT asynchro mechanism**
separate adjustment of backrest and seat inclination by two levers, backrest inclination 14°
height adjustment of backrest locking by handwheel
height adjustment of the seat by lever
locking in many positions
mechanism can be used in locked position only
- **T1 - seat slider**
adjustment of seat depth by lever or button, locking in 5 positions

Base:

- Black, nylon Ø 680mm (polyamide + 30% fiber glass)

Backrest:

- black membrane
- **L** - non-adjustable lumbar support

Seat:

- upholstered

Castors:

- **Hard castors** - 50mm - for soft floor (carpet floor)
- **Soft castors** - 50mm - for hard floor (wood flooring, tiles)
- **Soft castors** - 50mm - with unloaded brake for hard floor (wood flooring, tiles)
- **Glides**

Armrests:

- **PR 0020** - adjustable up-down armrest, nylon, PP pad
- **PR 0220** - adjustable up-down armrest, nylon, front-rear sliding pad, PP pad
- **PR 0012** - adjustable up-down armrest, steel, PU pad
- **PR 0032** - adjustable up-down armrest, nylon, PU pad





FLASH Y

Pattern collections

IV group _ TIME

V group _ MAIN LINE PLUS

I group _ BEST (UNTIL STOCKS RUN OUT)

VI group _ FENICE

II group _ SOFT

I group _ BEST NEW

V group _ SKAI TOLEDO EN

VI group _ STEP

VI group _ FAME

III group _ ERA

II group _ BONDAI

III group _ GRAVITY

IV group _ ADVANTAGE

IV group _ ONE

VI group _ STEP MELANGE